PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL

OF PLANT BIOCHEMISTRY

Editor-in-Chief
J. B. HARBORNE F.R.S.

Associate Editor (North America)
N. G. LEWIS

Executive Editor
T. A. SMITH

Volume 39 Contents, Author Index and
Subject Index 1995

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: Dept of Biochemistry, Liverpool University, Liverpool L69 3BX, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Applied Biology, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Production Editor

J. E. HORTON: Journals Production Dept, Research Journals, Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Tel: +44(0) 1865 843161. Fax: +44(0) 1865 843969. E-mail: chemistry.production@elsevier.co.uk

EDITORIAL BOARD—1995

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Dept of Biochemistry, King's College, Strand, London WC2R 2LS, U.K.
E. G. Brown:	Dept of Biochemistry, University College of Swansea, Singleton Park SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C. Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
T. W. Goodwin:	9 Woodlands Close, Parkgate, S. Wirral, Cheshire L64 6RU, U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
V. Herout:	Dept of Natural Products, Inst. Organic Chemistry, Flemingovo N2, Praha 6, Czech Republic.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
M. Luckner:	Sektion Pharmazie, Universität Halle (Saale), Germany.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of N.S.W., P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
T. ap Rees:	Botany School, University of Cambridge, Downing Street, Cambridge CB2 3EA, U.K.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 2635 Sugitani, Toyama 930-10, Japan.
J. Tempe:	Institut des Sciences Végétales, CNRS, 91198-Gif sur Yvette and Institut National Agronomique Paris-Grignon, 75231-Paris, France.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 35, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.
Annual Subscription Information: Published monthly plus additional issues in January, March, May, July, September and November (three volumes 1995).

Institutional Subscription Rates (1995): North, Central and South America, U.S.$1766.00, Rest of World, £1185.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and from the rest of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. *Microform Back Issues:* Back issues of all previously published volumes, in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

Copyright © 1995 Elsevier Science Ltd

SECOND CLASS POSTAGE PAID AT NEWARK, NEW JERSEY AND ADDITIONAL ENTRY POINTS. *Phytochemistry* (ISSN 0031–9422) is published monthly, January to December plus additional issues in January, March, May, July, September and November in three volumes, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $1766. *Phytochemistry* is distributed by Virgin Mailing and Distribution, 10 Camptown Road, Irvington, New Jersey 07111-1105. POSTMASTER: Please send address corrections to *Phytochemistry*, c/o Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

Front cover illustration: Leaves and arils of *Taxus baccata*.

CONTENTS OF VOLUME 39

Number 1

Announcement ix

Review

Plant copper-amine oxidases — 1 — R. MEDDA, A. PADIGLIA and G. FLORIS

Growth and Metabolism

ent-3β-Hydroxykaur-16-ene and *ent*-17-hydroxykaur-15-ene in paclobutrazol-treated wheat seedlings — 11 — S. J. CROKER, P. GASKIN, M. H. BEALE and J. R. LENTON

Purification and biochemical characterization of 1-aminocyclopropane-1-carboxylate oxidase from banana fruit — 15 — M. A. MOYA-LEON and P. JOHN

Regulation of the enzymes of UDP-sugar metabolism during differentiation of French bean — 21 — D. ROBERTSON, I. BEECH and G. P. BOLWELL

Two cationic peroxidases from cell walls of *Araucaria araucana* seeds — 29 — A. RIQUELME and L. CARDEMIL

Properties of carrot polyphenoloxidase — 33 — I. SÖDERHÄLL

Purification and characterization of carnitine acyltransferase from higher plant mitochondria — 39 — H. SCHWABEDISSEN-GERBLING and B. GERHARDT

Effect of zinc on free radicals and proline in *Brassica* and *Cajanus* — 45 — ALIA, K. V. S. K. PRASAD and P. P. SARADHI

A comparison of native and synthetic mushroom melanins by Fourier–transform infrared spectroscopy — 49 — J. A. PIERCE and D. M. RAST

Ecological Biochemistry

Structural features of fungal β-D-glucans for the efficient inhibition of the initiation of virus infection on *Nicotiana tabacum* — 57 — P. ROUHIER, M. KOPP, V. BEGOT, M. BRUNETEAU and B. FRITIG

Molluscicidal saponins from *Catunaregam nilotica* — 63 — E. LEMMICH, C. CORNETT, P. FURU, C. L. JØRSTIAN, A. D. KNUDSEN, C. E. OLSEN, A. SALIH and S. T. THILBORG

Biosynthesis

Evidence for rishitin biosynthesis in tomato cultures — 69 — A. D'HARLINGUE, A. M. MAMDOUH, P. MALFATTI, M.-C. SOULIE and G. BOMPEIX

Towards the specification of consecutive steps in macromolecular lignin assembly — 71 — M. NOSE, M. A. BERNARDS, M. FURLAN, J. ZAJICEK, T. L. EBERHARDT and N. G. LEWIS

Cell Culture and Biotechnology

3,4-Dichloroaniline *N*-glucosyl- and *N*-malonyltransferase activities in cell cultures and plants of soybean and wheat — 81 — B. SCHMIDT, C. RIVERO and B. THIEDE

Biotransformation of the monoterpenoid, rose oxide, by *Aspergillus niger* — 85 — M. MIYAZAWA, K. YOKOTE and H. KAMEOKA

Chemotaxonomy

Sesquiterpenoids and cyclic bisbibenzyls from the liverwort *Reboulia hemisphaerica* — 91 — HAN-CHAO WEI, SHIH-JEN MA and CHIA-LI WU

Terpenoids from the liverworts *Symphyogyna brasiliensis* and unidentified *Frullania* species — 99 — M. TORI, M. AOKI, K. NAKASHIMA and Y. ASAKAWA

Bioactive Plant Products

Antiallergic dimeric prenylbenzoquinones from *Ehretia microphylla* — 105 — S. YAMAMURA, L. R. SIMPOL, K. OZAWA, K. OHTANI, H. OTSUKA, R. KASAI, K. YAMASAKI and W. G. PADOLINA

Plant Chemistry

Caeruleosides A and B, bis-iridoid glucosides from *Lonicera caerulea*	111	K. Machida, J. Asano and M. Kikuchi
Secoiridoid and flavonoid glycosides from *Gonocaryum calleryanum*	115	T. Kaneko, M. Sakamoto, K. Ohtani, A. Ito, R. Kasai, K. Yamasaki and W. G. Padorina
Sesquiterpene dimers from *Chloranthus japonicus*	121	J. Kawabata, E. Fukushi and J. Mizutani
Sesquiterpene lactones from *Schkuhria pinnata*	127	A. Del V. Pacciaroni, V. E. Sosa, L. A. Espinar and J. C. Oberti
Sesquiterpene lactones from *Neurolaena lobata*	133	C. M. Passreiter, D. Wendisch and D. Gondol
Abietane and icetexane diterpenoids from the roots of *Salvia aspera*	139	B. Esquivel, M. Flores, S. Hernández-Ortega, R. A. Toscano and T. P. Ramamoorthy
(*S*)-13-Hydroxygeranylgeraniol-derived furanoditerpenes from *Bifurcaria bifurcata*	145	R. Valls, L. Piovetti, B. Banaigs, A. Archavlis and M. Pellegrini
3-Hydroxy-3-methylglutaryl dolabellane diterpenes from *Chrozophora obliqua*	151	K. M. Mohamed, K. Ohtani, R. Kasai and K. Yamasaki
Two diterpenes with rearranged abietane skeletons from *Zhumeria majdae*	163	A. Rustaiyan, M. Samadizadeh, Z. Habibi and J. Jakupovic
Triterpenoids from *Walsura piscidia*	167	T. R. Govindachari, G. N. Krishna Kumari and G. Suresh
Two cytotoxic pentacyclic triterpenoids from *Nerium oleander*	171	B. Shaheen Siddiqui, S. Begum, S. Siddiqui and W. Lichter
Dammarane triterpenes from *Cleome amblyocarpa*	175	F. M. Harraz, A. Ulubelen, S. Öksüz and N. Tan
Triterpenoid glucuronide saponins from root bark of *Aralia armata*	179	M. Hu, K. Ogawa, Y. Sashida and P.-G. Xiao
Mazusaponins I–IV, triterpene saponins from *Mazus Miquelii*	185	E. Yaguchi, T. Miyase and A. Ueno
Saponins from *Mussaenda pubescens*	191	Weimin Zhao, Junping Xu, Guowei Qin and Rensheng Xu
Saponins from *Hacquetia epipactis*	195	J. Burczyk, G. Reznicek, S. Baumgarten, M. Hugh-Bloch, J. Jurenitsch, H. Schröder, U. Werz and E. Haslinger
Steroidal glycosides from *Cynanchum caudatum*	199	T. Warashina and T. Noro
Cucurbitacin glycosides from *Caput nigri*	205	K. Nakano, Y. Kanai, K. Murakami and Y. Takaishi
Cucurbitacin glycosides from Cabeça-de-negro	209	K. Nakano, Y. Kanai, K. Murakami and Y. Takaishi
Polar eupomatenoids from *Caryodaphnosis tonkinensis*	213	H. Ripperger, N. Hoang Anh, U. Himmelreich, T. Van Sung and G. Adam
Amariinic acid and related ellagitannins from *Phyllanthus amarus*	217	L. Yeap Foo
Chemiluminescence of benzoic and cinnamic acids, and flavonoids in the presence of aldehyde and hydrogen peroxide or hydroxyl radical by Fenton reaction	225	Y. Yoshiki, K. Okubo, M. Onuma and K. Igarashi

A 9,10-dihydrophenanthrene derivate from *Epimedium koreanum* 231 WEN-KUI LI, JING-QI PAN, MU-JIAN LÜ, RU-YI ZHANG and PEI-GEN XIAO

Cyclohexylethanoids and related glucosides from *Millingtonia hortensis* 235 T. HASE, Y. KAWAMOTO, K. OHTANI, R. KASAI, K. YAMASAKI and C. PICHEANSOONTHON

Delphinidin 3-xylosylrutinoside in petals of *Linum grandiflorum* 243 K. TOKI, N. SAITO, K. HARADA, A. SHIGIHARA and T. HONDA

N-Demethyl budmunchiamines from *Albizzia lebbek* seeds 247 L. N. MISRA, A. K. DIXIT and H. WAGNER

Short Reports

Triterpenoid diglucoside of *Enterospermum pruinosum* 251 P. RASOANAIVO, G. MULTARI, E. FEDERICI and C. GALEFFI

A lupene-type triterpene from *Mimusops elengi* 255 N. JAHAN, W. AHMED and A. MALIK

4-(*p*-Hydroxyphenyl)-(2*S*)-butanol from the needles of *Taxus baccata* 259 S. R. ROJATKAR, D. D. SAWAIKAR, B. SINHA, T. RAVINDRANATHAN and B. A. NAGASAMPAGI

A flavone diglycoside from *Cirsium japonicum* var. *ussuriense* 261 JONG CHEOL PARK, JONG HO LEE and JAE SUE CHOI

Number 2

Announcement ix

Review Article Number 103

Anthranilate synthase in microorganisms and plants 263 R. M. ROMERO, M. F. ROBERTS and J. D. PHILLIPSON

Growth and Metabolism

Different forms of tomato pectinesterase have different kinetic properties 277 A. G. S. WARRILOW and M. G. JONES

Effect of salt stress on polyamine metabolism in *Brassica campestris* 283 S. DAS, A. BOSE and B. GHOSH

Distribution, biosynthesis and turnover of pyrrolizidine alkaloids in *Cynoglossum officinale* 287 N. M. VAN DAM, L. WITTE, C. THEURING and T. HARTMANN

Ecological Biochemistry

Sterol composition of the vine powdery mildew fungus, *Uncinula necator*: comparison of triadimenol-sensitive and resistant strains 293 D. DEBIEU, M.-F. CORIO-COSTET, H. STEVA, C. MALOSSE and P. LEROUX

Tropane alkaloids and toxicity of *Convolvulus arvensis* 301 F. G. TODD, F. R. STERMITZ, P. SCHULTHEIS, A. P. KNIGHT and J. TRAUB-DARGATZ

Biosynthesis

Plant-like biosynthesis of gibberellin A_1 in the fungus *Phaeosphaeria* sp. L487 305 H. KAWAIDE, T. SASSA and Y. KAMIYA

Succinyl-coenzyme A: anthocyanidin 3-glucoside succinyltransferase in flowers of *Centaurea cyanus* 311 M. YAMAGUCHI, T. MAKI, T. OHISHI and I. INO

Tigloyl-CoA:pseudotropine acyl transferase—an enzyme of tropane alkaloid biosynthesis 315 S. RABOT, A. C. J. PEERLESS and R. J. ROBINS

The biosynthesis of cyanogenic glucosides in roots of cassava 323 L. DU, M. BOKANGA, B. LINDBERG MØLLER and B. A. HALKIER

The enzymatic formation of δ-cadinene from farnesyl diphosphate in extracts of cotton 327 C. R. BENEDICT, I. ALCHANATI, P. J. HARVEY, J. LIU, R. D. STIPANOVIC and A. A. BELL

A reinvestigation of the biosynthesis of lanosterol in *Euphorbia lathyris* 333 J.-L. Giner and C. Djerassi

Cell Culture and Biotechnology
Biotransformation of (–)-nopol by *Glomerella cingulata* 337 M. Miyazawa, Y. Suzuki and H. Kameoka

Terpenoid indole alkaloid biosynthesis and enzyme activities in two cell lines of *Tabernaemontana divaricata* 341 D. Dagnino, J. Schripsema and R. Verpoorte

Chemotaxonomy
Fatty acid composition of 15 species of marine microalgae 351 N. V. Zhukova and N. A. Aizdaicher

Volatile constituents of needles of five *Pinus* species grown in Greece 357 V. Roussis, P. V. Petrakis, A. Ortiz and B. E. Mazomenos

Chemotaxonomic evidence for a division of *Lactarius vellereus* and *L. bertillonii* as different species 363 T. Hansson, O. Sterner and Å. Strid

Sesquiterpene lactones as a result of interspecific hybridization in *Helianthus* species 367 H. Buschmann and O. Spring

Major sterol composition of some algae from Qatar 373 H. S. Al Easa, J.-M. Kornprobst and A. M. Rizk

Phenylpropanoid glycosides, a furanone glucoside and geniposidic acid from members of the rubiaceae 375 A. Nahrstedt, J. Rockenbach and V. Wray

Tri- and tetrahydroxycoumarin derivatives from *Tetraphis pellucida* 379 M. Jung, H. Geiger and H. D. Zinsmeister

Bioactive Plant Products
Constituents and cytotoxic principles of *Nothapodytes foetida* 383 Tian-Shung Wu, Yann-Lii Leu, Hua-Chun Hsu, Li-Fei Ou, Chien-Chih Chen, Chieh-Fu Chen, Jun-Chih Ou and Yang-Chang Wu

Plant Chemistry
Eremantholides and a guaianolide from *Lychnophora rupestris* 387 W. R. Cunha, J. L. C. Lopes, W. Vichnewski, J. G. Díaz and W. Herz

Norditerpenes from *Juniperus chinensis* 391 Ching-Kuo Lee, Jim-Min Fang and Yu-Shia Cheng

Pregnane glycosides from *Stapelia variegata* 395 K. A. El Sayed, A. F. Halim, A. M. Zaghloul, J. D. McChesney, M. P. Stone, M. Voehler and K. Hayashi

Anacardoside from the seeds of *Semecarpus anacardium* 405 R. R. Gil, L.-Z. Lin, G. A. Cordell, M. R. Kumar, M. Ramesh, B. M. Reddy, G. K. Mohan and A. V. N. A. Rao

Phenylpropane derivatives from roots of *Cosmos caudatus* 409 N. Fuzzati, Sutarjadi, W. Dyatmiko, A. Rahman and K. Hostettmann

Neolignans, *nor*-neolignans and other compounds from roots of *Krameria grayi* 413 H. Achenbach, W. Utz, H. Sánchez V., E. M. G. Touché, J. Verde S. and X. A. Domínguez

Prenylated lignans from *Haplophyllum ptilostylum* 417 A. Ulubelen, R. R. Gil, G. A. Cordell, A. H. Meriçli and F. Meriçli

Acylated cyanidin 3-rutinoside-5,3′-diglucoside from the purple-red flower of *Lobelia erinus* 423 N. Saito, K. Toki, H. Kuwano, H. Moriyama, A. Shigihara and T. Honda

3-Desoxycallunin and 2″-acetylcallunin, two minor 2,3-dihydroflavonoid glucosides from *Calluna vulgaris* 427 D. P. Allais, A. J. Chulia, M. Kaouadji, A. Simon and C. Delage

Cyclopeptide alkaloids of *Discaria febrifuga* (Rhamnaceae) 431 A. F. Morel, E. C. Machado and L. A. Wessjohann

Isoquinoline alkaloids, decumbenine B and C, from *Corydalis decumbens* 435 Jin-Sheng Zhang, Da-Yuan Zhu and Shan-Hai Hong

Isoquinoline alkaloids from *Acangelisia gusanlung* 439 Jin-Sheng Zhang, L. Le Men-Olivier and G. Massiot

Short Reports

Clerodane diterpenoids from *Cyathocalyx zeylanica* 443 E. M. K. Wijerathne, L. B. de Silva, Y. Tezuka and T. Kikuchi

Clerodane diterpenes from *Polyalthia cheliensis* 447 Xiao-Jiang Hao, Xiao-Sheng Yang, Zheng Zhang and Li-Jian Shang

Kaurane derivatives from *Acanthopanax koreanum* 449 Young-Ho Kim, Hang-Sub Kim, Sung-Woo Lee, M. Uramoto and Jung-Joon Lee

Two triterpenoids from *Boswellia serrata* gum resin 453 B. Mahajan, S. C. Taneja, V. K. Sethi and K. L. Dhar

Cannabinerolic acid, a cannabinoid from *Cannabis sativa* 457 F. Taura, S. Morimoto and Y. Shoyama

Phenylbutenoid monomers from the rhizomes of *Zingiber cassumunar* 459 T. Masuda and A. Jitoe

Quercetin 5,4′-dimethyl ether from *Rhododendron ellipticum* 463 Li-Kang Ho and Wen-Neng Lin

Cyclobartramiatriluteolin, a unique triflavonoid from *Bartramia stricta* 465 H. Geiger, A. Voigt, T. Seeger, H.-D. Zinsmeister, J.-A. López-Sáez, M.-J. Pérez-Alonso and A. Velasco-Negeruela

Dehydropleiocarpine alkaloids from *Kopsia profunda* 469 Toh-Seok Kam and Poh-Suan Tan

Heliscabine, a pyrrolizidine ester alkaloid from *Heliotropium scabrum* 473 A. J. Lakshmanan and S. Shanmugasundaram

Minor alkaloids from *Lycoris sanguinea* 477 O. M. Abdallah

Book Review

Handbook of Phytoalexin Metabolism and Action: edited by M. Daniel and R. P. Purkayastha 479 J. B. Harborne

Number 3

Announcement ix

Growth and Metabolism

Endo-*N*-acetyl-β-D-glucosaminidase and peptide-N^4-(*N*-acetylglucosaminyl) asparagine amidase activities during germination of *Raphanus sativus* 481 S. Berger, A. Menudier, R. Julien and Y. Karamanos

1,3-Diaminopropane is a suicide substrate for pea diamine oxidase 489 H. M. A. Awal and E. Hirasawa

Pectin esterase activity and pectin methyl esterification in heated Golden Delicious apples 491 J. D. Klein, J. Hanzon, P. L. Irwin, N. B. Shalom and S. Lurie

Ammonium ion-dependent isomerization of glutamate dehydrogenase in relation to glutamate synthesis in maize 495 G. O. Osuji and W. C. Madu

β-1,3-Glucanase isozymes from the latex of *Hevea brasiliensis*	505	N. Churngchow, A. Suntaro and R. Wititsuwannnakul
Effect of thiolactomycin on fatty acid synthesis in peas	511	A. L. Jones, J. E. Dancer and J. L. Harwood
Dimer as the active form of a polyketide biosynthetic enzyme 6-hydroxymellein synthase	515	F. Kurosaki
Purification and partial characterization of a *Schizolobium parahyba* chymotrypsin inhibitor	521	E. M. T. Souza, K. Mizuta, M. U. Sampaio and C. A. M. Sampaio
Ecological Biochemistry		
Evidence for the involvement of superoxide anion in the ethylene-induced chlorophyll *a* catabolism of *Raphanus sativus* cotyledons	527	M. Adachi and K. Shimokawa
Cadinane-type sesquiterpenes induced in *Gossypium* cotyledons by bacterial inoculation	531	G. Davila-Huerta, H. Hamada, G. D. Davis, R. D. Stipanovic, C. M. Adams and M. Essenberg
Specific competitive inhibitor of secreted phospholipase A_2 from berries of *Schinus terebinthifolius*	537	M. K. Jain, Bao-Zhu Yu, J. M. Rogers, A. E. Smith, E. T. A. Boger, R. L. Ostrander and A. L. Rheingold
Biosynthesis		
Last stages in the biosynthesis of antirrhinoside	549	S. Damtoft, S. R. Jensen and M. Schacht
(+)-δ-Cadinene is a product of sesquiterpene cyclase activity in cotton	553	G. D. Davis and M. Essenberg
Cell Culture and Biotechnology		
Biotransformation of (+)- and (−)-camphorquinones by fungi	569	M. Miyazawa, M. Nobata, M. Hyakumachi and H. Kameoka
Comparison between metabolite productions in cell culture and in whole plant of *Maclura pomifera*	575	G. Delle Monache, M. C. De Rosa, R. Scurria, A. Vitali, A. Cuteri, B. Monacelli, G. Pasqua and B. Botta
Plant Chemistry		
Three sulphur-containing stress metabolites from Japanese radish	581	K. Monde, M. Takasugi and A. Shirata
No involvement of methoxybrassinin in the biosynthesis of cyclobrassinin	587	K. Monde, K. Tamura and M. Takasugi
Dammarane glycosides from aerial part of *Neoalsomitra integrifoliola*	591	Seiji Fujita, Ryoji Kasai, Kazuhiro Ohtani, Kazuo Yamasaki, Chiu Ming-Hua, Nie Rui-Lin and Osamu Tanaka
Sesquiterpenes from leaves of *Cryptomeria japonica*	603	Wen-Chiung Su, Jim-Min Fang and Yu-Shia Cheng
Sesquiterpene lactone chemistry of *Zaluzania grayana* from on-line LC-NMR measurements	609	O. Spring, H. Buschmann, B. Vogler, E. E. Schilling, M. Spraul and M. Hoffmann
A sesquiterpene lactone, phenyl and biphenyl compounds from *Antrodia cinnamomea*	613	Hung-Chen Chiang, De-Peng Wu, I-Wha Cherng and Chuen-Her Ueng
Nor-sesquiterpenes from *Teucrium heterophyllum*	617	B. M. Fraga, M. G. Hernández, T. Mestres, D. Terrero and J. M. Arteaga
Minor limonoids from *Trichilia rubra*	621	L. L. Musza, L. M. Killar, P. Speight, C. J. Barrow, A. M. Gillum and R. Cooper

Triterpenoid saponins from *Phytolacca rivinoides* and *Phytolacca bogotensis*	625	S. E. Nielsen, U. Anthoni, C. Christophersen and C. Cornett
Three dodecaene C_{50}-carotenoids from halophilic bacteria	631	M. Rønnekleiv, M. Lenes, S. Norgård and S. Liaaen-Jensen
Proanthocyanidins with (+)-epicatechin units from *Byrsonima crassifolia* bark	635	F. Geiss, M. Heinrich, D. Hunkler and H. Rimpler
Structure revision of a furanocoumarin from *Dorstenia contrajerva*	645	C. Terreaux, M. Maillard, H. Stoeckli-Evans, M. P. Gupta, K. R. Downum, J. M. E. Quirke and K. Hostettmann
Stilbenoids from the orchids *Agrostophyllum callosum* and *Coelogyne flaccida*	649	P. L. Majumder, S. Banerjee, D. C. Maiti and S. Sen
Neolignans and a lignan from *Piper clarkii*	655	A. K. Prasad, O. D. Tyagi, J. Wengel, P. M. Boll, C. E. Olsen, K. S. Bisht, A. Singh, A. Sarangi, R. Kumar, S. C. Jain and V. S. Parmar
Phenolic glucosides and lignans from *Ehretia ovalifolia*	659	K. Yoshikawa, H. Kageyama and S. Arihara
A 3,4-*seco*-cycloartane derivative from *Tillandsia usneoides*	665	G. M. Cabrera, M. Gallo and A. M. Seldes
Flavonoid compounds in roots of *Sophora tetraptera*	667	Munekazu Iinuma, Masayoshi Ohyama, Yoko Kawasaka and Toshiyuki Tanaka
Isoflavones from pods of *Laburnum anagyroides*	673	Hiroji Sato, Satoshi Tahara, J. L. Ingham and S. Z. Dziedzic
Isoflavones and alkaloids from the stem bark and seeds of *Erythrina senegalensis*	677	J. Wandji, S. S. Awanchiri, Z. Tanee Fomum, F. Tillequin and F. Libot
Epimeric pavine *N*-oxides from *Thalictrum simplex*	683	M. P. Velcheva, S. Danghaaghiin, Z. Samdanghiin, Z. Yansanghiin and M. Hesse
Spermidine alkaloids type inandenine from *Oncinotis tenuiloba*	689	M. K.-H. Doll, A. Guggisberg and M. Hesse
Phenanthroindolizidine alkaloids from *Tylophora tanakae*	695	F. Abe, Y. Iwase, T. Yamauchi, K. Honda and N. Hayashi
Isoquinoline alkaloids from *Ancistrocladus tectorius*	701	A. Montagnac, A. H. A. Hadi, F. Remy and M. Païs
Alkaloids of young ponderosa pine seedlings and late steps in the biosynthesis of pinidine	705	J. N. Tawara, F. R. Stermitz and A. V. Blokhin
Short Reports		
Lipid constituents from *Stellaria media*	709	A. Pande, Y. N. Shukla and A. K. Tripathi
Sesquiterpenoids from *Valeriana fauriei*	713	Koichi Nishiya, Tsuyoshi Tsujiyama, Takefumi Kimura, Koichi Takeya, Hideji Itokawa and Yoichi Iitaka
Salvileucolide methylester, a sesterterpene from *Salvia sahendica*	715	F. M. Moghaddam, B. Zaynizadeh and P. Rüedi
(*S*)-5,7′-Biphyscion 8-glucoside from *Cassia torosa*	717	S. Kitanaka and M. Takido

An azaphilone from *Talaromyces tardifaciens* 719 KOOHEI NOZAWA, RITSUKO SAITO, SHUN-ICHI UDAGAWA, SHOICHI NAKAJIMA and KEN-ICHI KAWAI

Flavonol glucosides in pericarps of *Zanthoxylum bungeanum* 723 QUANBO XIONG, DAWEN SHI and MIZUO MIZUNO

Flavone *C*-glycosides from *Bryonia alba* and *B. Dioica* 727 M. KRAUZE-BARANOWSKA and W. CISOWSKI

Synthesis of sarmentosine, an amide alkaloid from *Piper sarmentosum* 731 G. M. STRUNZ and H. FINLAY

Isocryptolepine from *Cryptolepis sanguinolenta* 731 J.-L. POUSSET, M.-T. MARTIN, A. JOSSANG and B. BODO

Number 4

Review Article Number 104
Molecular organization of the shikimate pathway in higher plants 737 J. SCHMID and N. AMRHEIN

Growth and Metabolism
Effect of pH on CO_2-activated 1-aminocyclopropane-1-carboxylate oxidase activity from apple fruit 751 F. MIZUTANI, JIAN GUO DONG and SHANG FA YANG

Isolation and characterization of an extracellular proteinase from *Pseudomonas tolaasii* 757 A. BARAL, P. F. FOX and T. P. O'CONNOR

Phospholipid, galactolipid, and steryl lipid composition of apple fruit cortical tissue following postharvest $CaCl_2$ infiltration 763 G. A. PICCHIONI, A. E. WATADA, W. S. CONWAY, B. D. WHITAKER and C. E. SAMS

Biosynthesis of the heterocyst glycolipids in the cyanobacterium *Anabaena cylindrica* 771 A. GAMBACORTA, A. SORIENTE, A. TRINCONE and G. SODANO

Ecological Biochemistry
Accumulation of the phytoalexin lettucenin A and changes in 3-hydroxy-3-methylglutaryl coenzyme A reductase activity in lettuce seedlings with the red spot disorder 775 L. BESTWICK, M. H. BENNETT, J. W. MANSFIELD and J. T. ROSSITER

Biosynthesis
Initiation of biosynthesis in *cis* polyisoprenes 779 Y. TANAKA, S. KAWAHARA, E. AIK-HWEE, K. SHIBA and N. OHYA

Biosynthesis of acyclic homoterpenes: enzyme selectivity and absolute configuration of the nerolidol precursor 785 J. DONATH and W. BOLAND

Chemotaxonomy
A comparative study of the phenolic products in the heartwood of *Acacia karroo* from two different localities 791 E. MALAN and P. SWARTZ

Sesquiterpene lactones, a labdane and other constituents of *Urolepis hecatantha* and *Chromolaena arnottiana* 795 A. N. DE GUTIÉRREZ, C. A. N. CATALÁN, J. G. DÍAZ and W. HERZ

An alkaloid, coumarins and a triterpene from *Boronia algida* 801 S. D. SARKER, J. A. ARMSTRONG and P. G. WATERMAN

The systematic and evolutionary significance of exudate flavonoids in *Aeonium* 805 J. F. STEVENS, H 'T. HART and E. WOLLENWEBER

Benzylisoquinoline alkaloids and flavonols from *Ocotea vellosiana* 815 W. S. GARCEZ, M. YOSHIDA and O. R. GOTTLIEB

Plant Chemistry
Trigonelline, a leaf-closing factor of the nyctinastic plant, *Aeschynomene indica* 817 M. UEDA, M. NIWA and S. YAMAMURA

Analysis of structure of sugar-beet pectin by enzymatic methods 821 T. SAKAMOTO and T. SAKAI

Phenylpropanoids from *Aralia bipinnata*	825	Jeh-Jian Hsiao and Hung-Cheh Chiang
Iridoid glucosides from the leaves and stems of *Duranta erecta*	829	Y. Takeda, Y. Morimoto, T. Matsumoto, C. Ogimi, E. Hirata, A. Takushi and H. Otsuka
Sesquiterpenoid emmotins from two *Poraqueiba* species	835	M. O. F. Goulart, E. De S. Bento, A. Trainotti, R. J. Alves, J. G. S. Maia, G. G. De Oliveira and A. B. De Oliveira
Sesquiterpene lactones from *Michelia champaca*	839	U. Jacobsson, V. Kumar and S. Saminathan
Antifungal melampolides from leaf extracts of *Smallanthus sonchifolius*	845	A. Inoue, S. Tamogami, H. Kato, Y. Nakazato, M. Akiyama, O. Kodama, T. Akatsuka and Y. Hashidoko
10-Desmethyl-1-methyl-eudesmanes from *Ocotea corymbosa*	849	J. P. Chavez, O. R. Gottlieb and M. Yoshida
Longipinene derivatives from *Stevia serrata*	853	E. Sánchez-Arreola, C. M. Cerda-García-Rojas, P. Joseph-Nathan, L. U. Román and J. D. Hernández
Diterpenes from *in vitro* cultures of the liverwort *Jamesoniella autumnalis*	859	H. Tazaki, J. Zapp and H. Becker
A rearranged taxane from the Himalayan yew	869	S. K. Chattopadhyay, R. P. Sharma, G. Appendino and P. Gariboldi
Taxayuntin E and F: two taxanes from leaves and stems of *Taxus yunnanensis*	871	Qin Yue, Qi-Cheng Fang, Xiao-Tian Liang and Cun-Heng He
Medicagenic acid saponins from *Aster batangensis*	875	Yu Shao, Bingnan Zhou, Kan Ma, Houming Wu, Longze Lin and G. A. Cordell
Effect of diniconazole on sterol composition of roots and cell suspension cultures of fenugreek	883	C. Cerdon, A. Rahier, M. Taton and Y. Sauvaire
Stilbene glycosides from *Guibourtia tessmannii*	895	A. M. Nyemba, T. Ngando Mpondo, S. F. Kimbu and J. D. Connolly
Lignans from the wood of *Aralia bipinnata*	899	Jeh-Jian Hsiao and Hung-Cheh Chiang
A xanthone substituted with an irregular monoterpene in cell suspension cultures of *Hypericum patulum*	903	K. Ishiguro, M. Nakajima, H. Fukumoto and K. Isoi
Isoflavonoids in roots of *Sophora secundiflora*	907	M. Iinuma, M. Ohyama, T. Tanaka, Y. Shirataki and C. L. Burandt
Alkaloids and quassinoids of *Brucea mollis* var. *Tonkinensis*	911	Y. Ouyang, K. Mitsunaga, K. Koike and T. Ohmoto
Short Reports		
Styrylpyrone glucosides from *Equisetum*	915	M. Veit, H. Geiger, B. Kast, C. Beckert, C. Horn, K. R. Markham, H. Wong and F.-C. Czygan
Roripamine, a sulphonylalkyl amine from *Rorippa indica*	919	Yun-Lian Lin, Wei-Yu Tsai and Yueh-Hsiung Kuo

Hemialboside, a hemiterpene glucoside from *Lamium album*	923	S. Damtoft and S. R. Jensen
Two iridoid glucosides, 5-*O*-menthiafoloylkickxioside and kickxin, from *Kickxia* dum. species	925	N. Handjieva, L. Tersieva, S. Popov and L. Evstatieva
NMR chemical shift correlations in 16,17-dihydroxykauranoids: implication for stereochemical assignments	929	P. K. Agrawal, V. Bishnoi and A. K. Singh
Abietane and clerodane diterpenes from *Salvia regla*	931	A. Ortega, J. Cárdenas, D. A. Gage and E. Maldonado
A taxane from the Himalayan yew, *Taxus wallichiana*	935	S. K. Chattopadhyay and R. P. Sharma
Patensin, a saponin from *Pulsatilla patens* var. *multifida*	937	Wen-Cai Ye, Bo-Xin Ou, Nine-Ning Ji, Shou-Xun Zhao, Tao Ye, M. A. McKervey and P. Stevenson
Ecdysteroids from *Penstemon venustus*	941	U. Roth, M. König and K. Seifert
A xanthone from pericarps of *Garcinia mangostana*	943	F. Asai, H. Tosa, T. Tanaka and M. Iinuma
Two xanthones with a 1,1-dimethylallyl group in root bark of *Garcinia subelliptica*	945	M. Iinuma, H. Tosa, T. Tanaka, F. Asai and R. Shimano
Damalachawin, a triflavonoid of a new structural type from dragon's blood of *Dracaena cinnabari*	949	U. Himmelreich, M. Masaoud, G. Adam and H. Ripperger
Book Reviews	953	
Journal Review	957	

Number 5

Growth and Metabolism		
UV-induced cross-linking of abscisic acid to binding proteins	959	M. H. M. Cornelussen, C. M. Karssen and L. C. van Loon
Production and characterization of monoclonal antibodies against 11S storage protein from pea seeds	969	L. Quillien, T. Gaborit and J. Gueguen
Effect of Ti(IV) on Fe activity in *Capsicum annuum*	977	M. Carvajal and C. F. Alcaraz
Acidic peroxidases from suspension-cultures of sweet potato	981	S.-S. Kwak, S.-K. Kim, M.-S. Lee, K.-H. Jung, I.-H. Park and J.-R. Liu
Stimulation of lipase and *N*-acetyl-β-D- glucosaminidase activities in *Euphorbia characias* latex by contact of free fatty acids with roots	985	A. Moulin and R. Giordani
Lysophosphatidic acid acyltransferase from immature coconut endosperm having medium chain length substrate specificity	989	H. Maelor Davies, D. J. Hawkins and J. S. Nelsen
Comparison of phytolacain R, a cysteine protease from *Phytolacca americana*, with papain	997	M. Kaneda, S. Nagatome and T. Uchikoba
Purification and characterization of starch phosphorylase from *Cuscuta reflexa* filaments	1001	S. Srivastava, A. Nighojkar and A. Kumar
Chalcone synthase in the liverwort *Marchantia polymorpha*	1007	S. Fischer, U. Böttcher, S. Reuber, S. Anhalt and G. Weissenböck
Phosphodiesterase in cultured cells of *Mentha arvensis*	1013	T. Nakabayashi, Y. Shimo, C. Honda, W. Kamisako and Y. Kimura
Reassessment of lipid composition of the diatom, *Skeletonema costatum*	1017	J.-P. Berge, J.-P. Gouygou, J.-P. Dubacq and P. Durand

Ecological Biochemistry

Changes in ferulic acid and lipid content in aphid-infested barley 1023 H. M. Cabrera, O. Muñoz, G. E. Zúñiga, L. J. Corcuera and V. H. Argandoña

Biotransformation of lignans: metabolism of (+)-eudesmin and (+)-magnolin in *Spodoptera litura* 1027 M. Miyazawa, H. Kasahara and H. Kameoka

Lepidimoide, an allelopathic substance in the exudates from germinated seeds 1031 K. Yamada. T. Anai and K. Hasegawa

Dibenzofuran phytoalexins from the sapwood tissue of *Photinia*, *Pyracantha* and *Crataegus* species 1033 T. Kokubun, J. B. Harborne, J. Eagles and P. G. Waterman

Four dibenzofuran phytoalexins from the sapwood of *Mespilus germanica* 1039 T. Kokubun, J. B. Harborne, J. Eagles and P. G. Waterman

Antifungal hydroxymethyl-phenols from the mycoparasite *Verticillium biguttatum* 1043 R. A. C. Morris, D. F. Ewing, J. M. Whipps and J. R. Coley-Smith

Polyphenols from *Eriosema tuberosum* 1049 Wei Guang Ma, N. Fuzzati, Qing Sheng Li, Chong Ren Yang, H. Stoeckli-Evans and K. Hostettmann

Guaraná (*Paullinia cupana*) rewards seed dispersers without intoxicating them by caffeine 1063 T. W. Baumann, B. H. Schulthess and K. Hänni

Biosynthesis of sulphoquinovosyldiacylglycerol by chloroplast fractions from pea and lettuce 1071 C. E. Pugh, T. Hawkes and J. L. Harwood

Cell Culture and Biotechnology

Biotransformation of (–)-α- bisabolol by plant pathogenic fungus, *Glomerella cingulata* 1077 M. Miyazawa, H. Nankai and H. Kameoka

The biotransformation of 8-epicedrol and some relatives by *Cephalosporium aphidicola* 1081 E. Gand, J. R. Hanson and H. Nasir

Bioconversion of rhododendrol by *Acer nikoense* 1085 T. Fujita, H. Hatamoto, T. Iwasaki and S. Takafuji

Bioactive Plant Products

Coumarins and anti-platelet aggregation constituents from *Zanthoxylum schinifolium* 1091 Ih-Sheng Chen, Yuh-Chwen Lin, Ian-Lih Tsai, Che-Ming Teng, Feng-Nien Ko, T. Ishikawa and H. Ishii

Angelol-type coumarins from *Angelica pubescence F. biserrata* and their inhibitory effect on platelet aggregation 1099 Jiang-Hua Liu, Sui-Xu Xu, Xin-Sheng Yao and H. Kobayashi

Steroidal saponins from the tubers of *Dichelostemma multiflorum* and their inhibitory activity on cyclic-amp phosphodiesterase 1103 T. Inoue, Y. Mimaki, Y. Sashida, T. Nikaido and T. Ohmoto

Plant Chemistry

Iridoid mono- and diesters of D-glucopyranose from *Linaria japonica* 1111 H. Otsuka

Linalool and cineole type glucosides from *Cunila spicata* 1115 D. Manns

Identification of (+)-β-caryophyllene in essential oils of liverworts by enantioselective gas chromatography 1119 C. Fricke, A. Rieck, I. H. Hardt, W. A. König and H. Muhle

Eudesmanolides from *Melanoselinum decipiens* 1123 G. M. Massanet, F. M. Guerra, J. M. Dorado, Z. D. Jorge and P. Valerga

Sesquiterpene lactones and other constituents from *Hymenoxys richardsonii* and *H. subintegra* 1127 A. A. Ahmed, O. Spring, M. H. A. El-Razek, N. S. Hussein and T. J. Mabry

Norditerpene furan glycosides from *Tinospora cordifolia*	1139	V. D. Gangan, P. Pradhan, A. T. Sipahimalani and A. Banerji
Three diterpene dilactone glycosides from *Podocarpus nagi*	1143	Li-Jang Xuan, Ya-Min Xu and Sheng-Ding Fang
Taxanes from *Taxus yunnanensis*	1147	H. Zhang, Y. Tadeda and H. Sun
Triterpenes from *Tripterigium wilfordii*	1153	T. Morota, Chun-Xin Yang, H. Sasaki, Wan-Zang Qin, K. Sugama, Kang-Li Miao, T. Yoshino, Li-Hong Xu, M. Maruno and Bing-Hui Yang
D:A-Friedo-24-noroleanane triterpenoids from *Tripterigium wilfordii*	1159	T. Morota, Chun-Xin Yang, T. Ogino, Wan-Zhang Qin, T. Katsuhara, Li-Hong Xu, Y. Komatsu, Kang-Li Miao, M. Maruno and Bing-Hui Yang
Triterpenes from the surface layer of *Poria cocos*	1165	T. Tai, T. Shingu, T. Kikuchi, Y. Tezuka and A. Akahori
Triterpenoid glycosides from *Cephalaria transsylvanica*	1171	S. Kirmizigül, H. Anil and M. E. Rose
Triterpenoid glycosides from *Anemoclema glaucifolium*	1175	Xing-Cong Li, Chong-Ren Yang, Yu-Qing Liu, R. Kasai K. Ohtani, K. Yamasaki, K. Miyahara and K. Shingu
Highly oxygenated coumarins from *Pelargonium sidoides*	1181	O. Kayser and H. Kolodziej
Dibenzocyclooctadiene lignans from *Kadsura japonica*	1187	N. Ookawa, Y. Ikeya, K. Sugama, H. Taguchi and M. Maruno
Structure simulation of two ellagitannins from *Quercus robur* L.	1193	N. Vivas, M. Laguerre, Y. Glories, G. Bourgeois and C. Vitry
Synthesis of 5,8-dihydroxy-6,7-dimethoxyflavones and revised structures for some natural flavones	1201	T. Horie, Y. Kawamura, H. Yamamoto, T. Kitou and K. Yamashita
Flavonoid glycosides and an anthraquinone from *Rumex chalepensis*	1211	A. Hasan, I. Ahmed, M. Jay and B. Voirin
Pyrano- and dihydrofurano-isoflavones from *Milletia thonningii*	1215	W. A. Asomaning, C. Amoako, I. V. Oppong, W. R. Phillips, I. Addae-Mensah, E. Y. Osei-Twum, R. Waibel and H. Achenbach
Sesquiterpene alkaloids from *Tripterigium wilfordii*	1219	T. Morota, Chun-Xin Yang, Y. Ikeya, Wan-Zhang Qin, H. Nishimura, Li-Hong Xu, M. Ando, Kang-Li Miao, M. Maruno and Bing-Hui Yang
Alkaloids from stem bark and leaves of *Peschiera buchtieni*	1223	M. Azoug, A. Loukaci, B. Richard, J.-M. Nuzillard, C. Moreti, M. Zèches-Hanrot and L. Le Men-Olivier
Alkaloids of *Galanthus elwesii*	1229	A. Latvala, M. A. Önür, T. Gözler, A. Linden, B. Kivçak and M. Hesse
Short Reports		
Triterpenoid glycosides from *Adina rubella*	1241	Shi-yue Fang, Zhi-sheng He, Jing-Hai Gao and Ping Wang
Physalin L, a 13,14-seco-16,24 cyclosteroid from *Physalis minima*	1245	G. Sen and H. D. Pathak

2,4-Bis(4-hydroxybenzyl)phenol from *Gastrodia elata* 1247 N. Noda, Y. Kobayashi, K. Miyahara and S. Fukahori

Thomandersine and isothomandersine, 2-indolinone alkaloids from *Thomandersia Laurifolia* 1249 B. T. Ngadjui, H. Tamboue, J. F. Ayafor and J. D. Connolly

Book Reviews 1253

Number 6

Announcement ix

Review Article Number 105
Marine brown algae of family cystoseiraceae: chemistry and chemotaxonomy 1257 V. Amico

Growth and Metabolism
The reactivity of ascorbate with different redox states of leghaemoglobin 1281 S. Moreau, A. Puppo and M. J. Davies

Involvement of the oxidized–semiquinone couple in photoreduction of algal flavodoxins 1287 L. J. Rogers, A. J. Smith and A. J. Turner

In vitro peroxidase-catalysed oxidation of ferulic acid esters 1293 G. Wallace and S. C. Fry

Myrosinase from roots of *Raphanus sativus* 1301 E. W. Jwanny, S. T. El-Sayed, M. M. Rashad, A. E. Mahmoud and N. M. Abdallah

Limonoid glucoside β-glucosidase activity in lemon seeds 1305 T. A. Ronneberg, S. Hasegawa, C. Suhayda and Y. Ozaki

A 5,10-methylenetetrahydrofolate dehydrogenase: 5,10-methenyltetrahydrofolate cyclohydrolase protein from *Pisum sativum* 1309 C. D. Kirk, L. Chen, H. C. Imeson and E. A. Cossins

Softening of kiwifruit discs: effect of inhibition of galactose loss from cell walls 1319 R. J. Redgwell and R. Harker

Medium chain-length fatty acids in lipids of developing oil palm kernel endosperm 1325 E. Wiberg and M. Bafor

Lipid evolution during development and ripening of peach fruits 1329 R. Izzo, A. Scartazza, A. Masia, L. Galleschi, M. F. Quartacci and F. Navari-Izzo

The lipid composition of cytosolic particles isolated from senescing bean cotyledons 1335 G. McKegney, K. Yao, S. Ghosh, A. Huff, S. Mayak and J. E. Thompson

Ecological Biochemistry
Columbianetin, a phytoalexin associated with celery resistance to pathogens during storage 1347 U. Afek, S. Carmeli and N. Aharoni

Effect of crop development on biogenic emissions from plant populations grown in closed plant growth chambers 1351 J. H. Batten, G. W. Stutte and R. M. Wheeler

Biosynthesis
Biosynthesis of xanthofusin, a tetronic acid metabolite of *Fusicoccum* sp. 1359 J. Breinholt, S. Damtoft, L. B. Frederiksen, L. B. L. Hansen and S. R. Jensen

Are xanthosine and 7-methylxanthosine caffeine precursors? 1363 B. H. Schulthess and T. W. Baumann

Chemotaxonomy
Trisubstituted hydroxycinnamic acid spermidines from *Quercus dentata* pollen 1371 M. Bokern, L. Witte, V. Wray, M. Nimtz and B. Meurer-Grimes

Polysaccharides from seeds of *Strychnos* species 1377 M. M. Corsaro, I. Giudicianni, R. Lanzetta, C. E. Marciano, P. Monaco and M. Parrilli

Triterpene methyl ethers from Palmae epicuticular waxes	1381	S. García, H. Heinzen, C. Hubbuch, R. Martínez, X. de Vries and P. Moyna
Long-chain polyprenyl acetates in *Murraya exotica*	1383	E. K. Desoky
Alkaloids of *Picea breweriana*	1387	M. J. Schneider, S. Brendze and J. A. Montali
Plant Chemistry		
Verbascoside derivatives and iridoid glycosides from *Penstemon crandallii*	1391	L. D. Ismail, M. M. El-Azizi, T. I. Khalifa and F. R. Stermitz
Sesquiterpene lactone glycosides from *Crepis pyrenaica*	1395	W. Kisiel and B. Barszcz
Diterpenoid lactones from the roots of *Gynocardia odorata*	1399	B. P. Pradhan, S. Chakraborty, R. K. Ghosh and A. Roy
Steroids and terpenoids from the gum resin of *Ailanthus grandis*	1403	T. Hung, H. Stuppner, E. P. Ellmerer-Müller, D. Scholz, D. Eigner and M. P. Manandhar
Emodin and emodinanthrone rhamnoside acetates from fruits of *Rhamnus prinoides*	1411	B. M. Abegaz and M. G. Peter
Glucosides of 2,5-dihydroxybenzyl alcohol from *Homalium longifolium*	1415	K. Shaari and P. G. Waterman
Phenolic extractives from root bark of *Picea abies*	1423	H. Pan and L. N. Lundgren
Ochrolone a pyrene from *coelogyne ochracea*	1429	V. Anuradha, N. S. Prakasa Rao and M. Udayabhaskar
Pentaoxygenated xanthones from *Bredemeyera floribunda*	1433	E. R. Silveira, M. J. C. Falcão, A. Menezes Jr., D. G. I. Kingston and T. E. Glass
Acylated anthocyanins from red *Hyacinthus orientalis*	1437	K. Hosokawa, Y. Fukunaga, E. Fukushi and J. Kawabata
Acylated flavonol sophorotriosides from pea shoots	1443	F. Ferreres, E. Esteban, R. Carpena-Ruiz, M. A. Jiménez and F. A. Tomás-Barberán
Flavonoids from *Artocarpus heterophyllus*	1447	Chuh-Nan Lin, Chai-Ming Lu and Pao-Lin Huang
Flavonoids, amidosulfoxides and an alkaloid from the leaves of *Glycosmis citrifolia*	1453	Tian-Shung Wu, Feng-Chu Chang and Pei-Lin Wu
Norditerpenoid alkaloids from *Delphinium peregrinum* var. *elongatum*	1459	G. de la Fuente and L. Ruiz-Mesía
Norditerpenoid alkaloids of *Delphinium munzianum*	1467	G. de la Fuente, A. H. Meriçli, L. Ruiz-Mesía, A. Ulubelen, F. Meriçli and R. Ilarslan
Steroid alkaloid glycosides from *Solanum robustum*	1475	H. Ripperger
Short Reports		
An elemandiolide from *Zinnia citrea*	1479	A. Ortega, A. Vázquez, R. Gaviño and E. Maldonado
Harounoside a pentalongin hydroquinone diglycoside from *Mitracarpus scaber*	1483	H. Harouna, R. Faure, R. Elias, L. Debrauwer, M. Saadou, G. Balansard and G. Boudon
Two alkaloids from *Incarvillea sinensis*	1485	Yu-Ming Chi, F. Hashimoto, Wen-Mei-Yan and T. Nohara
Diterpene acetylxylosides from the exudate of *Conyza linearis*	1489	A. Urzua and L. Mendoza
Errata and corrigenda	1493	

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.